## Ordering Code: 63XX-X-XXX-XXX Example: 6313-5C-2PP-150

Series 6300	<u>O-ring</u> 03 - Viton 07 - Neoprene 13 - Buna 20 - Teflon 24 - Silicone 26 - Fluorosilicone 32 - Ethylene Propylene 35 - Kalrez	<u>Material</u> 1C - Aluminum 2 - Brass 5 - 303 SST 5C - 316 SST 4B - 12L14	<u>Connection</u> 1PP - 1/8" Female NPT x 1/8" Female NPT 2PP - 1/4" Female NPT x 1/4" Female NPT 3PP - 3/8" Female NPT x 3/8" Female NPT 4PP - 1/2" Female NPT x 1/2" Female NPT	Crack Pressure .5-250 psi
	.81			
	6300 Series - 2PP		└── 1/4-18 NPT (2X	.)
Body N O-ring	Material: Brass*, 303 SST*, Material: Buna-N** Ethyle	316 SST*, Aluminum, 1 ne Propylene** Viton**	2L14 *. Teflon**, Neoprene, Silicone, Aflas, Florosilicone,	Kalrez

O-ring Material: Buna-N\*\*, Ethylene Propylene\*\*, Viton\*\*, Teflon\*\*, Neoprene, Silicone, Aflas, Florosilicone, Kalrez Spring Matieral: 302 SST - Any other spring materials consult factory Operating Pressure: Vacuum to 10000 psig (689 bar) Cracking Pressure: .5 to 250 psig (.034 bar to 17.2 bar) - Any crack pressure above or below standard crack pressure range consult factory Temperature Range: -70°F to +400°F (-56°C to +204°C) - Based on o-ring and body material Connection Sizes: (1/8" FNPT x 1/8" FNPT to 1/2" FNPT x 1/2" FNPT)\*\*\*

\* Standard body materials; Consult factory for availability of other body material \*\* Standard o-ring materials; Consult factory for availability of other o-ring material \*\*\*Standard connections sizes; Consult factory for availability of other connection sizes

Note: Proper filtration is recommended to prevent damage to the o-ring or sealing surface

