
Ordering Code: 61XX-X-XXX-XXX Example: 6113-5C-2MM-150

<u>Series</u> 6100	<u>O-ring</u> 03 - Viton 07 - Neoprene 13 - Buna 20 - Teflon 24 - Silicone 26 - Fluorosilicone 32 - Ethylene Propylene 35 - Kalrez	<u>Material</u> 2 - Brass 5 - 303 SST 5C - 316 SST	$\frac{Connection}{1MM - 1/8"}$ Male NPT x 1/8" Male NPT 2MM - 1/4" Male NPT x 1/4" Male NPT 3MM - 3/8" Male NPT x 3/8" Male NPT 4MM - 1/2" Male NPT x 1/2" Male NPT 6MM - 3/4" Male NPT x 3/4" Male NPT 8MM - 1" Male NPT x 1" Male NPT 1P2M - 1/8" Female NPT x 1/4" Male NPT 2PM - 1/4" Female NPT x 1/4" Male NPT	<u>Crack Pressure</u> .5-250 psi



6100 Series - 1P2M

Body Material: Brass*, 303 SST*, 316 SST*
O-ring Material: Buna-N**, Ethylene Propylene**, Viton**, Teflon**, Neoprene, Silicone, Aflas, Florosilicone, Kalrez
Spring Matieral: 302 SST - Any other spring materials consult factory
Operating Pressure: Vacuum to 3000 psig (207 bar)
Cracking Pressure: .5 to 250 psig (.034 bar to 17.2 bar) - Any crack pressure above or below standard crack pressure range consult factory
Temperature Range: -70°F to +400°F (-56°C to +204°C) - Based on o-ring and body material
Connection Sizes: (1/8" MNPT x 1/8" MNPT to 1" MNPT x 1" MNPT)***, (1/8" FNPT x 1/4" MNPT and 1/4" MNPT x 1/4"FNPT)***

* Standard body materials; Consult factory for availability of other body material ** Standard o-ring materials; Consult factory for availability of other o-ring material ***Standard connections sizes; Consult factory for availability of other connection sizes

Note: Proper filtration is recommended to prevent damage to the o-ring or sealing surface

