
## Ordering Code: 61XX-X-XXX-XXX Example: 6113-5C-2MM-150

<u>Series</u>	<u>O-ring</u>	<u>Material</u>	Connection	Crack Pressure
6100	03 - Viton	2 - Brass	1MM - 1/8" Male NPT x 1/8" Male NPT	.5-250 psi
	07 - Neoprene	5 - 303 SST	2MM - 1/4" Male NPT x 1/4" Male NPT	-
	13 - Buna	5C - 316 SST	3MM - 3/8" Male NPT x 3/8" Male NPT	
	20 - Teflon		4MM - 1/2" Male NPT x 1/2" Male NPT	
	24 - Silicone		6MM - 3/4" Male NPT x 3/4" Male NPT	
	26 - Fluorosilicone		8MM - 1" Male NPT x 1" Male NPT	
	32 - Ethylene Propylene		1P2M - 1/8" Female NPT x 1/4" Male NPT	
	35 - Kalrez		2PM - 1/4" Female NPT x 1/4" Male NPT	
			2MP - 1/4" Male NPT x 1/4" Female NPT	



Body Material: Brass\*, 303 SST\*, 316 SST\*
O-ring Material: Buna-N\*\*, Ethylene Propylene\*\*, Viton\*\*, Teflon\*\*, Neoprene, Silicone, Aflas, Florosilicone, Kalrez
Spring Matieral: 302 SST - Any other spring materials consult factory
Operating Pressure: Vacuum to 3000 psig (207 bar)
Cracking Pressure: .5 to 250 psig (.034 bar to 17.2 bar) - Any crack pressure above or below standard crack pressure range consult factory
Temperature Range: -70°F to +400°F (-56°C to +204°C) - Based on o-ring and body material
Connection Sizes: (1/8" MNPT x 1/8" MNPT to 1" MNPT x 1" MNPT)\*\*\*, (1/8" FNPT x 1/4" MNPT and 1/4" MNPT x 1/4"FNPT)\*\*\*

\* Standard body materials; Consult factory for availability of other body material \*\* Standard o-ring materials; Consult factory for availability of other o-ring material \*\*\*Standard connections sizes; Consult factory for availability of other connection sizes

Note: Proper filtration is recommended to prevent damage to the o-ring or sealing surface

