

## Ordering Code: 61XX-X-XXX-XXX Example: 6113-5C-2MM-150

| <u>Series</u><br>6100 | <u>O-ring</u><br>03 - Viton<br>07 - Neoprene<br>13 - Buna<br>20 - Teflon<br>24 - Silicone<br>26 - Fluorosilicone<br>32 - Ethylene Propylene<br>35 - Kalrez | <u>Material</u><br>2 - Brass<br>5 - 303 SST<br>5C - 316 SST | <u>Connection</u><br>1MM - 1/8" Male NPT x 1/8" Male NPT<br>2MM - 1/4" Male NPT x 1/4" Male NPT<br>3MM - 3/8" Male NPT x 3/8" Male NPT<br>4MM - 1/2" Male NPT x 1/2" Male NPT<br>6MM - 3/4" Male NPT x 1/2" Male NPT<br>8MM - 1" Male NPT x 1" Male NPT<br>1P2M - 1/8" Female NPT x 1/4" Male NPT<br>2PM - 1/4" Female NPT x 1/4" Male NPT | <u>Crack Pressure</u><br>.5-250 psi |
|-----------------------|--|---|--|-------------------------------------|
|                       |  |   | 2PM - 1/4" Female NPT x 1/4" Male NPT<br>2MP - 1/4" Male NPT x 1/4" Female NPT   |                                     |





6100 Series - 3MM

Body Material: Brass\*, 303 SST\*, 316 SST\*
O-ring Material: Buna-N\*\*, Ethylene Propylene\*\*, Viton\*\*, Teflon\*\*, Neoprene, Silicone, Aflas, Florosilicone, Kalrez
Spring Matieral: 302 SST - Any other spring materials consult factory
Operating Pressure: Vacuum to 3000 psig (207 bar)
Cracking Pressure: .5 to 250 psig (.034 bar to 17.2 bar) - Any crack pressure above or below standard crack pressure range consult factory
Temperature Range: -70 °F to +400 °F (-56 °C to +204 °C) - Based on o-ring and body material
Connection Sizes: (1/8" MNPT x 1/8" MNPT to 1" MNPT x 1" MNPT)\*\*\*, (1/8" FNPT x 1/4" MNPT and 1/4" MNPT x 1/4"FNPT)\*\*\*

\* Standard body materials; Consult factory for availability of other body material \*\* Standard o-ring materials; Consult factory for availability of other o-ring material \*\*\*Standard connections sizes; Consult factory for availability of other connection sizes

Note: Proper filtration is recommended to prevent damage to the o-ring or sealing surface

